



Street / Sanitation / Recycling
705 South River Road
West Lafayette, IN 47906
Phone: (765) 775-5242
Fax: (765) 7

October 16, 2014

Dear Sir:

The West Lafayette Street Department is requesting sealed quotes for one new one-ton dump truck meeting the enclosed specifications.

SEALED QUOTES will be received until 10:00 a.m. (local time) on October 23, 2014 at the Office of the Clerk-Treasurer, West Lafayette Police Station, 711 West Navajo Street, West Lafayette, Indiana 47906. Each dealer will submit his quote upon forms provided in the quote packet and enclosed in a sealed envelope marked, "One-Ton Dump Truck Quote". Alternatively, quotes can be emailed to clerk@westlafayette.in.gov with the subject "One-Ton Dump Truck Quote". The quotes will then be opened immediately in the presence of witnesses at the Office of the Clerk-Treasurer, 711 W. Navajo St., West Lafayette, IN.

Dealer will attach any explanations and/or detail of specifications provided on a separate page(s).

Respectfully,
Tonya Vanaman

Tonya Vanaman
Receptionist/Office Assistant

FORM 1 OF 3
CITY OF WEST LAFAYETTE

General: Specifications for the City of West Lafayette Street Department for a dump body and plow mounted on a one ton truck chassis. (Reference within the specs to a brand name or manufacturer's name or specs is for reference only). Equipment that is bid pursuant to these specifications shall be of equal quality and size, or greater, to those referenced, and are subject to approval by the purchaser. These are minimum specifications. Bidder must address compliance section. If any part of an item that is not in compliance than that item must be marked "no" an explanation can be provided on a separate sheet with the benefits of that item to the city. A no response will not automatically exclude a bid. It will be up to the purchasers discretion on what items will be termed equal. Any items not listed on the exception sheet will be assumed to be part of the unit. Bidders must submit with their bid a complete specification on the unit they purpose to furnish. Original copies of equipment literature must be provided with the bid. Fax copies or unreadable copies of literature or specifications will not be allowed.

Minimum Equipment Specifications for Equipment	Compliance
Chassis:	
Chassis to be new 2015 model year one ton 4x4 with dual rear wheels	<input type="checkbox"/> Yes <input type="checkbox"/> No
Standard cab/chassis with 141" WB and 60" C/A	<input type="checkbox"/> Yes <input type="checkbox"/> No
Frame length shall be sufficient for installing a 9' dump body	<input type="checkbox"/> Yes <input type="checkbox"/> No
6.2 liter V-8 gas engine with electronic fuel injection, and 50 state emissions	<input type="checkbox"/> Yes <input type="checkbox"/> No
Automatic transmission to be 6 speed	<input type="checkbox"/> Yes <input type="checkbox"/> No
Weight rating to be 14,000 GVWR	<input type="checkbox"/> Yes <input type="checkbox"/> No
Snow plow prep package including transmission cooler	<input type="checkbox"/> Yes <input type="checkbox"/> No
Manual locking front hubs with dash mounted electronic shift on the fly switch	<input type="checkbox"/> Yes <input type="checkbox"/> No
4.30 ratio limited slip rear axle	<input type="checkbox"/> Yes <input type="checkbox"/> No
Stabilizer bars on front and rear	<input type="checkbox"/> Yes <input type="checkbox"/> No
LT245/75R17E all season radial tires	<input type="checkbox"/> Yes <input type="checkbox"/> No
40 gallon fuel tank aft of rear axle	<input type="checkbox"/> Yes <input type="checkbox"/> No
4 wheel ABS	<input type="checkbox"/> Yes <input type="checkbox"/> No
Driver and passenger side air bags	<input type="checkbox"/> Yes <input type="checkbox"/> No
Post crash safety alert system	<input type="checkbox"/> Yes <input type="checkbox"/> No
Grey interior trim	<input type="checkbox"/> Yes <input type="checkbox"/> No
40/20/40 grey cloth seat	<input type="checkbox"/> Yes <input type="checkbox"/> No
Intermittent wipers	<input type="checkbox"/> Yes <input type="checkbox"/> No
Power windows, door locks, and heated power mirrors	<input type="checkbox"/> Yes <input type="checkbox"/> No
Tilt and telescoping steering column	<input type="checkbox"/> Yes <input type="checkbox"/> No
Day/night rear view mirror	<input type="checkbox"/> Yes <input type="checkbox"/> No
Cruise control	<input type="checkbox"/> Yes <input type="checkbox"/> No
Air conditioning	<input type="checkbox"/> Yes <input type="checkbox"/> No
Trailer brake controller and wire harness to rear	<input type="checkbox"/> Yes <input type="checkbox"/> No
Black vinyl floor covering	<input type="checkbox"/> Yes <input type="checkbox"/> No
Four (4) body upfitter switches in dash	<input type="checkbox"/> Yes <input type="checkbox"/> No
Roof clearance lights	<input type="checkbox"/> Yes <input type="checkbox"/> No
Front tow hooks	<input type="checkbox"/> Yes <input type="checkbox"/> No
AM/FM/CD/clock stereo	<input type="checkbox"/> Yes <input type="checkbox"/> No
Chrome bumper and grille	<input type="checkbox"/> Yes <input type="checkbox"/> No
Molded black cab step	<input type="checkbox"/> Yes <input type="checkbox"/> No
Painted manufacturer standard white	<input type="checkbox"/> Yes <input type="checkbox"/> No
3 year / 36,000 mile bumper to bumper warranty	<input type="checkbox"/> Yes <input type="checkbox"/> No
5 year / 60,000 mile power train warranty	<input type="checkbox"/> Yes <input type="checkbox"/> No

FORM 1 OF 3
CITY OF WEST LAFAYETTE

Body, Hoist, and Lighting:	
Body length shall be 9 feet constructed of 10 gauge high tensile steel with continuous weld on body shell and tailgate	<input type="checkbox"/> Yes <input type="checkbox"/> No
Side height shall be 13" and Rear height shall be 19" with 2.5/3.7 cu yd capacity	<input type="checkbox"/> Yes <input type="checkbox"/> No
Floor shall be 10 gauge high tensile steel with 2" side to floor radius	<input type="checkbox"/> Yes <input type="checkbox"/> No
Understructure to be stacked design with 6" structural 8.2# channel long sills and 3" structural 4.1# channel crossmembers on 12" centers	<input type="checkbox"/> Yes <input type="checkbox"/> No
Long sills to be gusseted every 12" to the crossmembers	<input type="checkbox"/> Yes <input type="checkbox"/> No
Boxed top rails to be material shedding	<input type="checkbox"/> Yes <input type="checkbox"/> No
Front bulkhead to be 10 gauge high tensile steel with two bend top flange	<input type="checkbox"/> Yes <input type="checkbox"/> No
Cab shield shall be 10 gauge high tensile steel, 23" x 84"	<input type="checkbox"/> Yes <input type="checkbox"/> No
Rear corner posts to be 10" full depth	<input type="checkbox"/> Yes <input type="checkbox"/> No
Body shall have front side brace, and two intermediate vertical side braces	<input type="checkbox"/> Yes <input type="checkbox"/> No
Body shall have 6" front and rear side board extension pockets	<input type="checkbox"/> Yes <input type="checkbox"/> No
Tailgate to be 3 panel 10 gauge high tensile steel	<input type="checkbox"/> Yes <input type="checkbox"/> No
Tailgate to have heavy duty quick release top hardware and cast lower hardware with manual release handle	<input type="checkbox"/> Yes <input type="checkbox"/> No
Tailgate to be double acting with chains on tailgate and corner	<input type="checkbox"/> Yes <input type="checkbox"/> No
Hoist shall be full subframe underbody class C hoist with 5-1/2" double acting cylinder, and 13.7 ton lifting capacity	<input type="checkbox"/> Yes <input type="checkbox"/> No
Dumping angle shall be a minimum of 50 degrees	<input type="checkbox"/> Yes <input type="checkbox"/> No
Hoist assembly shall have a body prop to support empty weight of body	<input type="checkbox"/> Yes <input type="checkbox"/> No
"Body Up" light to be mounted in cab	<input type="checkbox"/> Yes <input type="checkbox"/> No
Rear light package shall include oval LED amber strobe and red STT mounted in rubber grommets recessed in rear corner posts	<input type="checkbox"/> Yes <input type="checkbox"/> No
Body shall include FMVSS 108 standard clearance lights and reflectors	<input type="checkbox"/> Yes <input type="checkbox"/> No
A weather resistant junction box for all body wiring and lights to be mounted in cab	<input type="checkbox"/> Yes <input type="checkbox"/> No
Light bar shall be mounted on top of cab roof with nut inserts, and with one self-contained amber LED strobe light attached	<input type="checkbox"/> Yes <input type="checkbox"/> No
Body to be painted white to match the cab as close as possible, subframe black	<input type="checkbox"/> Yes <input type="checkbox"/> No
One year warranty on complete dump body and components	<input type="checkbox"/> Yes <input type="checkbox"/> No
Hydraulics:	
Hydraulic pump and PTO for dump body operation only, with dash switch for PTO	<input type="checkbox"/> Yes <input type="checkbox"/> No
Control valve to be mounted in between frame rails	<input type="checkbox"/> Yes <input type="checkbox"/> No
The valve control shall be a Morse remote system with sealed cable.	<input type="checkbox"/> Yes <input type="checkbox"/> No
It must have bonnet-type connections at valve bank as to seal hydraulic valve spool end.	<input type="checkbox"/> Yes <input type="checkbox"/> No
The dump body lever shall be mounted at the right of the driver.	<input type="checkbox"/> Yes <input type="checkbox"/> No
Dump body lever shall be center detent handle to prevent accidental operation	<input type="checkbox"/> Yes <input type="checkbox"/> No
The cable shall be stainless steel capable of 100 pounds of push and pull.	<input type="checkbox"/> Yes <input type="checkbox"/> No
Reservoir to be mounted on outside of frame rail	<input type="checkbox"/> Yes <input type="checkbox"/> No
Reservoir to include in tank filter, basket type filler breather cap, suction screen, sight/temperature gauge, and magnetic drain plug	<input type="checkbox"/> Yes <input type="checkbox"/> No

**City of West Lafayette
One-Ton Dump Truck Quote**

**Quote FORM 2 of 3
Quote PRICE SHEET**

ITEM	UNIT PRICE	QUANTITY	TOTAL AMOUNT
Base Price			
Option (if applicable) Costs			
Discounts or Other Price Adjustments			
Destination Charges			
Dealer Preparation Charges			
Any Additional Charges			
Trade-In Allowance			
TOTAL QUOTE			

Bidder: _____
 Company

Signature: _____ Title: _____
 Name

Date: _____

CITY OF WEST LAFAYETTE
NON-COLLUSION AFFIRMATION

STATE OF INDIANA

COUNTY OF: _____ } SS:

The undersigned offeror or agent, duly swears, under penalties for perjury, that he has not, nor has any other member, representative, or agent of the firm, company, corporation or partnership represented by him, entered into any combination, collusion or agreement with any person relative to the price to be offered by any person nor to prevent any person from making an offer nor to induce anyone to refrain from making an offer and that this offer is made without reference to any other offer.

Offeror (Firm)

Signature of Offeror or Agent

Before me, a Notary Public in and for said County and State personally appeared, _____, who acknowledged the truth of the statements in the foregoing affirmation on this _____ day of _____, 20 ____.

My Commission Expires:

(written)

Notary Public

(printed)

County of Residence: _____